LPS® DETEX® Food Grade Silicone Lubricant





FEATURES

- NSF H1 lubricant can be used anywhere within a facility where incidental food contact may occur
- Anti-stick agent for chutes and slides keeps packages moving
- Drv film will not attract dust or dirt
- Safe on all metals, plastics, and rubber parts
- Colorless formula will not stain packaging material or equipment
- Metal and X-ray detectable packaging

APPLICATIONS

- Castors
- Chutes
- Conveyors Food Racks
- Guards
- Guide Rails
- Pins
 - Rings **Rubber Mountings**

 - Seals Slides
 - Plastic Rollers
- Plastic Gears

SPECIFICATIONS AND APPROVALS

- Allergen Disclosure Form
- FDA Regulation 21 C.F.R. 178.3570 NSF International, H1 (Aerosol) for incidental food contact

- Kosher Certified
- Halal Product Certified #HP-6516-CH

PROPERTIES

Appearance / Physical State	ce / Physical State Aerosol: Gas		
Odor	Mild, ether-like		
Melting / Freezing Point	Not Established		
Boiling Point / Range	141.8°F (61°C)		
Vapor Pressure	352 mm Hg @ 38°C		
Partition Coefficient	>1		
Percent volatile	96%		
Flammability	lower- 1%, upper- 6%		
Propellant	Propane		
VOC Content	96.10%		
Color	Clear, colorless		
Flash Point	< 1.4°F (< -17.0°C) Tag Closed Cup		
Density	Not available.		
Evaporation Rate	< 1 BuAc		
Vapor density	~3		
Auto-Ignition Temperature	582.8°F (306°C)		
Viscosity	< 14 cSt @ 25°C		
Specific Gravity	0.64 - 0.66 @ 20°C		
Temperature Range	500°F max		
4-Ball Weld Load	Not Established		

DIRECTIONS

Hold can 8 to 12 inches (20 to 30 cm) away from surface to be sprayed. Spray light, even coat. Use at room temperature 70°F (21°C) for best results. Product should be sprayed in a well ventilated area. Repeat application if necessary. Can be used as a lubricant on machinery and moving parts.

HANDLING

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child. May cause damage to organs (nervous system) through prolonged or repeated exposure by inhalation. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after name or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with pienty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. If skin in riritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

STORAGE

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F

DISPOSAL

Dispose of contents/container in accordance with local/regional/national/international

AVAILABLE PRODUCTS

Part No.		Net Combonts	Contain a Ton	Huite /Cons	A managements Cons
US	Canada	Net Contents	Container Type	Units/Case App	Approximate Case
					Weight
01716	C01716	10 wt oz / 284 g / 454 mL	aerosol	12	11 lbs

METAL DETECTION DETAILS

- 1. Detection limits for a particular machine depend on a variety of factors including line speed, contaminant placement and orientation, iron fortification (i.e.; flour), wet mode vs. dry mode, fragment size, aperture size, etc. It is the responsibility of the end- user to determine the detection limits of the appropriate DETEX® component for the individual line set up and for the particular food product being inspected.
- 2. Metal and X-ray detection limits for plastic components (above) are based on whole components. Partial plastic and scouring pad components may not be detectable due to detector limitations, partial component size, malfunctioning equipment and/or the type of food product undergoing processing. Scouring pad not X-ray detectable.
- 3. ITW Pro Brands recommends that all components be tested prior to implementation (separately and included in the processed food product) and/or consult your specific metal detector equipment manufacturer directly.
- Product shelf life, warranty, and material safety data sheets are available at www.itwprobrands.com, ITW Pro Brands is not responsible for use of this product inconsistent with its instructions and warnings.
- ITW Pro Brands is not responsible for failure to detect components due to detector limitations and/or detector malfunctions. Refer to the metal detector manufacturer's design limitations, instructions, and warnings regarding the use, limitations, and proper maintenance of the equipment.



CONTACT YOUR ITW PRO BRANDS REPRESENTATIVE TODAY!

800.241.8334 | www.itwprobrands.com