



# Tapmatic® Edge Lube



## FEATURES

- Low toxic, biodegradable, low odor
- Extends grinding wheel life
- Does not contain any hazardous chemicals
- Eliminates heat build-up and belt loading
- Excellent for belt, wheel or disc grinding, and sawing applications
- Biodegradable, solid, white, waxy bar
- Recognized by the USDA BioPreferred™ program
- Water rinsable
- Safe on all metals

## APPLICATIONS

- Boring
- Broaching
- Drilling
- Engraving
- Grinding
- Tapping
- Threading
- Turning

## PROPERTIES

Appearance / Physical State	Solid
Odor	Oily
Melting / Freezing Point	Not established
Boiling Point / Range	Not established
Vapor Pressure	Not established
Partition Coefficient	> 1
Percent volatile	0%
Flammability	Not available.
Propellant	N/A
VOC Content	0% per U.S. State and Federal Consumer Product Regulations
Color	Off-white
Flash Point	338.0°F (170.0°C) Tag Closed Cup
Density	Not available
Evaporation Rate	None
Vapor density	Not established
Auto-Ignition Temperature	Not established
Viscosity	Not established
Specific Gravity	0.82 - 0.84 @ 20°C
Temperature Range	Not established
4-Ball Weld Load	Not established

## DIRECTIONS

Hold against rotating or stationary cutting tools, grinding wheels or belts. Recap when not in use, keep in cool place.

## HANDLING

Observe good industrial hygiene practices

## STORAGE

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## DISPOSAL

Dispose of contents/container in accordance with local/regional/national/international regulations.

## AVAILABLE PRODUCTS

Part No.		Net Contents	Container Type	Units/Case	Approximate Case Weight
US	Canada				
43200	C43200	13 wt oz / 364 g	bar	10	10 lbs



**CONTACT YOUR ITW PRO BRANDS REPRESENTATIVE TODAY!**

800.241.8334 | [www.itwprobrands.com](http://www.itwprobrands.com)

LPS®, SCRUBS®, DYKEM®, Accu-Lube®, DYMON®, Spray Nine®, and Cedar® are registered trademarks and Rustlick™, Diamondkote™, and MetalMates™ are trademarks of Illinois Tool Works • All Rights Reserved